INDEX TO AUTHORS

A

ABERCROMBIE, R. F. See SJODIN and ABERCROMBIE, 453
AKAIKE, N., LEE, K. S., and BROWN, A. M. The calcium current of *Helix* neuron, 509
—. See LEE, AKAIKE, and BROWN, 489
AKAIKE, T. See ALKON, AKAIKE, and HARRIGAN, 177
ALKON, D. L., AKAIKE, T., and HARRIGAN, J. Interaction of chemosensory, visual, and statocyst pathways in *Hermissenda crassicornis*, 177
ALPERT, N. R. See MAUGHAN, LOW, and ALPERT, 431

B

BARLOW, R. B., JR., and FRAIOLI, A. J. Inhibition in the *Limulus* lateral eye *in situ*, 699
BEST, P. M. See DONALDSON, BEST, and KERRICK, 645
BROWN, A. M. See AKAIKE, LEE, and BROWN, 509
—. See LEE, AKAIKE, and BROWN, 489
BROWN, P. K. See PEPPERBERG, BROWN, LURIE, and DOWLING, 369

C

CALA, P. M., COGSWELL, N., and MANDEL, L. J. Binding of [^{3}H]ouabain to split frog skin. The role of the Na,K-ATPase in the generation of short circuit current, 347
CAPUTO, C., and DIPOLO, R. Contractile activation phenomena in voltage-clamped barnacle muscle fiber, 467
CATTERALL, W. A. See HUANG, CATTERALL, and EHRENSTEIN, 397
CHAPPELL, R. L. See KLINGMAN and CHAPPELL, 157
CHRISTENSEN, O. See CRONE, FRØKJÆR-JENSEN, FRIEDMAN, and CHRISTENSEN, 195
COGSWELL, N. See CALA, COGSWELL, and MANDEL, 347
COHEN, A. I., HALL, I. A., and FERRENDELLI, J. A. Calcium and cyclic nucleotide regulation in incubated mouse retinas, 595
CONE, R. A. See WORMINGTON and CONE, 657
CRONE, C., FRØKJÆR-JENSEN, J., FRIEDMAN, J. J., and CHRISTENSEN, O. The permeability of single capillaries to potassium ions, 195

D

DAHL, R. D. Facilitation in arthropod photoreceptors, 221
DELAMERE, N. A., and PATERSON, C. A. The influence of calcium-free EGTA solution upon membrane permeability in the crystalline lens of the frog, 581
DIPOLO, R. See CAPUTO and DIPOLO, 467
DOMBROWSKI, W. A. See JACKSON, WILLIAMSON, DOMBROWSKI, and GARNER, 301
DONALDSON, S. K. B., BEST, P. M., and KERRICK, W. G. L. Characterization of the effects of Mg^{2+} on Ca^{2+}- and Sr^{2+}-activated tension generation of skinned rat cardiac fibers, 645
DOWLING, J. E. See PEPPERBERG, BROWN, LURIE, and DOWLING, 369

E

EHRENSTEIN, G. See HUANG, CATTERALL, and EHRENSTEIN, 397

F

FERRENDELLI, J. A. See COHEN, HALL, and FERRENDELLI, 595
FRAIOLI, A. J. See BARLOW and FRAIOLI, 699
FRIEDMAN, J. J. See CRONE, FRØKJÆR-JENSEN, FRIEDMAN, and CHRISTENSEN, 195
FRØKJÆR-JENSEN, J. See CRONE, FRØKJÆR-JENSEN, FRIEDMAN, and CHRISTENSEN, 195

FUKAMI, Y. See HUNT, WILKINSON, and FUKAMI, 683
FUNDER, J., TOSTESON, D. C., and WIETH, J. O. Effects of bicarbonate on lithium transport in human red cells, 721

G

GARNER, D. E. See JACKSON, WILLIAMSON, DOMBROWSKI, and GARNER, 301
GINSBURG, H. See WOLOSIN, GINSBURG, LIEB, and STEIN, 93
GORDON, J., SHAPLEY, R. M., and KAPLAN, E. The eel retina. Receptor classes and spectral mechanisms, 123
—. See SHAPLEY and GORDON, 139
GRAVES, J. S. See GUTKNECHT, GRAVES, and TOSTESON, 269
GUTKNECHT, J., GRAVES, J. S., and TOSTESON, D. C. Electrically silent anion transport through lipid bilayer membranes containing a long-chain secondary amine, 269

H

HALL, I. A. See COHEN, HALL, and FERRENDELLI, 595
HARRIGAN, J. See ALKON, AKAIKE, and HARRIGAN, 177
HUANG, L-Y. M., CATTERALL, W. A., and EHRENSTEIN, G. Selectivity of cations and nonelectrolytes for acetylcholine-activated channels in cultured muscle cells, 397
HUNT, C. C., WILKINSON, R. S., and FUKAMI, Y. Ionic basis of the receptor potential in primary endings of mammalian muscle spindles, 683

J

JACKSON, M. J., WILLIAMSON, A. M., DOMBROWSKI, W. A., and GARNER, D. E. Intestinal transport of weak electrolytes. Determinants of influx at the luminal surface, 301

K

KAPLAN, E. See GORDON, SHAPLEY, and KAPLAN, 123
KERRICK, W. G. L. See DONALDSON, BEST, and KERRICK, 645
KIRSCHFELD, K. See MINKE and KIRSCHFELD, 37
KLINGMAN, A., and CHAPPELL, R. L. Feedback synaptic interaction in the dragonfly ocellar retina, 157

L

LEE, K. S., AKAIKE, N., and BROWN, A. M. Properties of internally perfused, voltage-clamped, isolated nerve cell bodies, 489
—. See AKAIKE, LEE, and BROWN, 509
LIEB, W. R. See WOLOSIN, GINSBURG, LIEB, and STEIN, 93
LISMAN, J. E. See PEPOSE and LISMAN, 101
LOW, E. S. See MAUGHAN, LOW, and ALPERT, 431
LURIE, M. See PEPPERBERG, BROWN, LURIE, and DOWLING, 369

M

MAHLER, M. Diffusion and consumption of oxygen in the resting frog sartorius muscle, 533
—. Kinetics of oxygen consumption after a single isometric tetanus of frog sartorius muscle at 20°C, 559
MANDEL, L. J. See CALA, COGSWELL, and MANDEL, 347
MAUGHAN, D. W., LOW, E. S., and ALPERT, N. R. Isometric force development, isotonic shortening, and elasticity measurements from Ca^{2+}-activated ventricular muscle of the guinea pig, 431
MEREDITH, M., and MOULTON, D. G. Patterned response to odor in single neurones of goldfish olfactory bulb: influence of odor quality and other stimulus parameters, 615
MILLER, D. J., and MÖRCHEN, A. On the effects of divalent cations and ethylene glycolbis-(β-aminoethyl ether) N,N,N',N'-tetraacetate on action potential duration in frog heart, 47
MINKE, B., and KIRSCHFELD, K. Microspectrophotometric evidence for two photointerconvertible states of visual pigment in the barnacle lateral eye, 37
MÖRCHEN, A. See MILLER and MÖRCHEN, 47

MOULTON, D. G. See MEREDITH and MOULTON, 615
MROSE, H. E., and RITCHIE, J. M. Local anesthetics: do benzocaine and lidocaine act at the same single site? 223

N

NARAHASHI, T. See OXFORD, WU, and NARAHASHI, 227

O

OSTROY, S. E. See PINTO and OSTROY, 329
OXFORD, G. S., WU, C. H., and NARAHASHI, T. Removal of sodium channel inactivation in squid giant axons by *N*-bromoacetamide, 227

P

PAK, W. L. See WALOGA and PAK, 69
—. See WU and PAK, 249
PARKER, J. C. Sodium and calcium movements in dog red blood cells, 1
PARSONS, R. L. See SCUBON-MULIERI and PARSONS, 285
PATERSON, C. A. See DELAMERE and PATERSON, 581
PEPOSE, J. S., and LISMAN, J. E. Voltage-sensitive potassium channels in *Limulus* ventral photoreceptors, 101
PEPPERBERG, D. R., BROWN, P. K., LURIE, M., and DOWLING, J. E. Visual pigment and photoreceptor sensitivity in the isolated skate retina, 369
PINTO, L. H., and OSTROY, S. E. Ionizable groups and conductances of the rod photoreceptor membrane, 329

R

RITCHIE, J. M. See MROSE and RITCHIE, 223

S

SCUBON-MULIERI, B., and PARSONS, R. L. Desensitization onset and recovery at the potassium-depolarized frog neuromuscular junction are voltage sensitive, 285
SHAPLEY, R. M., and GORDON, J. The eel retina. Ganglion cell classes and spatial mechanisms, 139
—. See GORDON, SHAPLEY, and KAPLAN, 123
SHIMADA, I. The stimulating effect of fatty acids and amino acid derivatives on the labellar sugar receptor of the fleshfly, 19
SJODIN, R. A., and ABERCROMBIE, R. F. The influence of external cations and membrane potential on Ca-activated Na efflux in *Myxicola* giant axons, 453
STEIN, W. D. See WOLOSIN, GINSBURG, LIEB, and STEIN, 93
STEPHENSON, E. W. Properties of chloride-stimulated ^{45}Ca flux in skinned muscle fibers, 411

T

TOSTESON, D. C. See FUNDER, TOSTESON, and WIETH, 721
—. See GUTKNECHT, GRAVES, and TOSTESON, 269

W

WALOGA, G., and PAK, W. L. Ionic mechanism for the generation of horizontal cell potentials in isolated axolotl retina, 69
WIETH, J. O. See FUNDER, TOSTESON, and WIETH, 721
WILKINSON, R. S. See HUNT, WILKINSON, and FUKAMI, 683
WILLIAMSON, A. M. See JACKSON. WILLIAMSON, DOMBROWSKI, and GARNER, 301
WOLOSIN, J. M., GINSBURG, H., LIEB, W. R., and STEIN, W. D. Diffusion within egg lecithin bilayers resembles that within soft polymers, 93
WORMINGTON, C. M., and CONE, R. A. Ionic blockage of the light-regulated sodium channels in isolated rod outer segments, 657
WU, C-F., and PAK, W. L. Light-induced voltage noise in the photoreceptor of *Drosophila melanogaster*, 249
WU, C. H. See OXFORD, WU, and NARAHASHI, 227

INDEX TO SUBJECTS

A

Acetamide, *N*-bromo-, removal of sodium channel inactivation in squid giant axons by, 227

Acetylcholine-activated channels in cultured muscle cells, selectivity of cations and nonelectrolytes for, 397

Acid, amino, derivatives, and fatty acids, stimulating effect on labellar sugar receptor of fleshfly, 19

–, fatty, and amino acid derivatives, stimulating effect on labellar sugar receptor of fleshfly, 19

Action potential, duration, in frog heart, effects of divalent cations and EGTA on, 47

Adenosine triphosphatase, sodium and potassium-activated, role in generation of short circuit current in binding of tritiated ouabain to split frog skin, 347

Amine, long-chain secondary, contained by lipid bilayer membranes, electrically silent anion transport through, 269

Amino acid derivatives and fatty acids, stimulating effect on labellar sugar receptor of fleshfly, 19

Anesthetics, local, benzocaine and lidocaine action at same single site, 223

Arthropod photoreceptors, facilitation in, 221

Axolotl retina, isolated, ionic mechanism for generation of horizontal cell potentials in, 69

Axons, *Myxicola* giant, influence of external cations and membrane potential on Ca-activated Na efflux in, 453

–, squid giant, removal of sodium channel inactivation in, by *N*-bromoacetamide, 227

B

Barnacle lateral eye, microspectrophotometric evidence for two photointerconvertible states of visual pigment in, 37

– muscle fiber, voltage-clamped, contractile activation phenomena in, 467

Benzocaine and lidocaine, action at same single site, 223

Bicarbonate, effects on lithium transport in human red cells, 721

Bilayer membranes, lipid, containing long-chain secondary amine, electrically silent anion transport through, 269

Bilayers, egg lecithin, diffusion within resembling that within soft polymers, 93

Blood cells, red. *See* Erythrocytes.

N-Bromoacetamide, removal of sodium channel inactivation in squid giant axons by, 227

Bulb, goldfish olfactory, patterned response to odor in single neurones of, influence of odor quality and other stimulus parameters, 615

C

Calcium current of *Helix* neuron, 509

– and cyclic nucleotide regulation in incubated mouse retinas, 595

– ion-activated ventricular muscle of guinea pig, isometric force development, isotonic shortening, and elasticity measurements, 431

– and sodium movements in red blood cells, 1

Calcium-activated Na efflux in *Myxicola* giant axons, influence of external cations and membrane potential on, 453

Calcium-free EGTA solution, influence upon membrane permeability in crystalline lens of frog, 581

Calcium- and Sr^{2+}-activated tension generation of skinned rat cardiac fibers, characterization of effects of Mg^{2+} on, 645

Calcium-45 flux, chloride-stimulated, properties in skinned muscle fibers, 411

Capillaries, single, permeability to potassium ions, 195

Cardiac fibers, skinned, of rat, character-

ization of effects of Mg^{2+} on Ca^{2+}- and Sr^{2+}-activated tension generation of, 645
Cell bodies, nerve, internally perfused, voltage-clamped, isolated, properties, 489
– classes, ganglion, and spatial mechanisms, eel retina, 139
–, horizontal, potentials, in isolated axolotl retina, ionic mechanism for generation, 69
Cells, muscle, cultured, selectivity of cations and nonelectrolytes for acetylcholine-activated channels in, 397
–, red blood. *See* Erythrocytes.
Channel inactivation, sodium removal in squid giant axons by *N*-bromoacetamide, 227
Channels, acetylcholine-activated, in cultured muscle cells, selectivity of nonelectrolytes and cations for, 397
–, potassium, voltage-sensitive, in *Limulus* ventral photoreceptors, 101
–, sodium, light-regulated, in isolated rod outer segments, ionic blockage, 657
Chemosensory, visual, and statocyst pathways, interaction in *Hermissenda crassicornis*, 177
Chloride-stimulated calcium-45 flux, properties, in skinned muscle fibers, 411
Choline, acetyl-, cultured muscle cell channels activated by, selectivity of cations and nonelectrolytes for, 397
Conductances and ionizable groups of rod photoreceptor membrane, 329
Contractile activation phenomena in voltage-clamped barnacle muscle fiber, 467
Crystalline lens, frog, influence of calcium-free EGTA solution upon membrane permeability in, 581

D

Desensitization onset and recovery at potassium-depolarized neuromuscular junction of frog, sensitivity to voltage, 285
Divalent cations and EGTA, effects on action potential duration in frog heart, 47
Dragonfly ocellar retina, feedback synaptic interaction in, 157
Drosophila melanogaster, photoreceptor, light-induced voltage noise in, 249

E

Eel retina, ganglion cell classes and spatial mechanisms, 139
– retina, receptor classes and spectral mechanisms, 123
Egg lecithin bilayers, diffusion within resembling that within soft polymers, 93
Elasticity, isometric force development and isotonic shortening, measurements from Ca^{2}-activated ventricular muscle of guinea pig, 431
Electrolytes, non-, and cations, selectivity for acetylcholine-activated channels in cultured muscle cells, 397
–, weak, intestinal transport, influx determinants at luminal surface, 301
Erythrocytes, human, effects of bicarbonate on lithium transport, 721
–, sodium and calcium movements in, 1
Ethylene glycol-bis-(β-aminoethyl ether) *N,N,N',N'*-tetraacetate and divalent cations, effects on action potential duration in frog heart, 47
– solution, calcium-free, influence upon membrane permeability in crystalline lens of frog, 581
External cations and membrane potential, influence on Ca-activated Na efflux in *Myxicola* giant axons, 453
Eye, lateral, of barnacle, microspectrophotometric evidence for two photointerconvertible states of visual pigment in, 37
–, lateral, of *Limulus*, inhibition *in situ*, 699

F

Facilitation in arthropod receptors, 221
Fatty acids and amino acid derivatives, stimulating effect on labellar sugar receptor of fleshfly, 19
Fiber, barnacle muscle, voltage-clamped, contractile activation phenomena in, 467
Fibers, cardiac, skinned, characterization of effects of Mg^{2+} on Ca^{2+}- and Sr^{2+}-activated tension generation of, 645
–, muscle, skinned, properties of chlo-

ride-stimulated calcium-45 flux in, 411
Fleshfly, labellar sugar receptor, stimulating effect of fatty acids and amino acid derivatives on, 19
Force development, isometric, isotonic shortening and elasticity, measurements from Ca^{2+}-activated ventricular muscle of guinea pig, 431
Frog crystalline lens, influence of calcium-free EGTA solution upon membrane permeability in, 581
– heart, effects of divalent cations and EGTA on action potential duration in, 47
– sartorius muscle, resting, diffusion and consumption of oxygen in, 533
– sartorius muscle, single isometric tetanus at 20°C, kinetics of oxygen consumption after, 559
– skin, split, binding of tritiated ouabain to, role of Na,K-ATPase in generation of short circuit current, 347

G

Ganglion cell classes and spatial mechanisms, eel retina, 139
Goldfish olfactory bulb, patterned response to odor in single neurones of, influence of odor quality and other stimulus parameters, 615

H

Heart, frog, effects of divalent cations and EGTA on action potential duration in, 47
Helix neuron, calcium current, 509
Hermissenda crassicornis, interaction of chemosensory, visual, and statocyst pathways in, 177

I

Inhibition in *Limulus* lateral eye *in situ*, 699
Intestinal transport of weak electrolytes, influx determinants at luminal surface, 301
Ionizable groups and conductances of rod photoreceptor membrane, 329

J

Junction, neuromuscular, potassium-depolarized, of frog, voltage sensitivity of desensitization onset and recovery at, 285

L

Labellar sugar receptor, fleshfly, stimulating effect of fatty acids and amino acid derivatives on, 19
Lecithin bilayers, egg, diffusion within resembling that within soft polymers, 93
Lens, crystalline, frog, influence of calcium-free EGTA solution upon membrane permeability in, 581
Lidocaine and benzocaine, action at same single site, 223
Limulus lateral eye, inhibition *in situ*, 699
– ventral photoreceptors, voltage-sensitive potassium channels in, 101
Lipid bilayer membranes containing long-chain secondary amine, electrically silent anion transport through, 269
Lithium transport in human red cells, effects of bicarbonate on, 721
Luminal surface, intestine, determinants of weak electrolyte transport at, 301

M

Magnesium, characterization of effects on Ca^{2+}- and Sr^{2+}-activated tension generation of skinned rat cardiac fibers, 645
Man, red cells, effects of bicarbonate on lithium transport in, 721
Membrane permeability in crystalline lens of frog, influence of calcium-free EGTA solution upon, 581
– potential and external cations, influence on Ca-activated Na efflux in *Myxicola* giant axons, 453
–, rod photoreceptor, ionizable groups and conductances, 329
Membranes, lipid bilayer, containing long-chain secondary amine, electrically silent anion transport through, 269
Microspectrophotometric evidence for two photointerconvertible states of visual pigment in barnacle lateral eye, 37
Muscle cells, cultured, selectivity of cations and nonelectrolytes for acetylcholine-activated channels in, 397
– fiber, barnacle, voltage-clamped, con-

tractile activation phenomena in, 467
Muscle, fibers, skinned, properties of chloride-stimulated calcium-45 flux in, 411
–, frog sartorius, resting, diffusion and consumption of oxygen in, 533
–, frog sartorius, single isometric tetanus at 20°C, kinetics of oxygen consumption after, 559
– spindles, mammalian, ionic basis of receptor potential in primary endings, 683
–, ventricular, Ca^{2+}-activated, guinea pig, isometric force development, isotonic shortening, and elasticity measurements, 431
Myxicola giant axons, influence of external cations and membrane potential on Ca-activated Na efflux in, 453

N

Nerve cell bodies, internally perfused, voltage-clamped, isolated, properties, 489
Neuromuscular junction, potassium-depolarized, of frog, voltage sensitivity of desensitization onset and recovery at, 285
Neuron, *Helix*, calcium current, 509
Neurones, single, of goldfish olfactory bulb, patterned response to odor in, influence of odor quality and other stimulus parameters, 615
Noise, voltage, light-induced, in photoreceptor of *Drosophila melanogaster*, 249
Nonelectrolytes and cations, selectivity for acetylcholine-activated channels in cultured muscle cells, 397
Nucleotide, cyclic, and calcium regulation in incubated mouse retinas, 595

O

Ocellar retina, dragonfly, feedback synaptic interaction in, 157
Odor, patterned response to, in single neurones of goldfish olfactory bulb, influence of odor quality and other stimulus parameters, 615
– quality and other stimulus parameters, influence on patterned response to odor in single neurones of goldfish olfactory bulb, 615
Olfactory bulb, goldfish, patterned response to odor in single neurones of, influence of odor quality and other stimulus parameters, 615
Ouabain, tritiated, binding to split frog skin, role of Na,K-ATPase in generation of short circuit current, 347
Oxygen consumption, kinetics after single isometric tetanus of frog sartorius muscle at 20°C, 559
–, diffusion and consumption in resting frog sartorius muscle, 533

P

Permeability, membrane, in crystalline lens of frog, influence of calcium-free EGTA solution upon, 581
– of single capillaries to potassium ions, 195
Phosphatase, adenosine tri-, sodium- and potassium-activated, role in generation of short circuit current in binding of tritiated ouabain to split frog skin, 347
Photointerconvertible states, two, visual pigment, in barnacle lateral eye, microspectrophotometric evidence for, 37
Photoreceptor, *Drosophila melanogaster*, light-induced voltage noise in, 249
– membrane, rod, ionizable groups and conductances, 329
– sensitivity, and visual pigment in isolated skate retina, 369
Photoreceptors, arthropod, facilitation in, 221
–, ventral, of *Limulus*, voltage-sensitive potassium channels in, 101
Pigment, visual, and photoreceptor sensitivity in isolated skate retina, 369
–, visual, two photointerconvertible states, microspectrophotometric evidence for, in barnacle lateral eye, 37
Polymers, soft, diffusion within resembling that within egg lecithin bilayers, 93
Potassium channels, voltage-sensitive, in *Limulus* ventral photoreceptors, 101
– depolarization of neuromuscular junction of frog, voltage sensitivity of desensitization onset and recovery at, 285
– ions, permeability of single capillaries to, 195

R

Red blood cells. *See* Erythrocytes.

Retina, eel, ganglion cell classes and spatial mechanisms, 139
–, eel, receptor classes and spectral mechanisms, 123
–, isolated, axolotl, ionic mechanism for generation of horizontal cell potentials in, 69
–, isolated, of skate, visual pigment and photoreceptor sensitivity in, 369
–, ocellar, dragonfly, feedback synaptic interaction in, 157
Retinas, incubated, mouse, calcium and cyclic nucleotide regulation in, 595
Rod outer segments, isolated, ionic blockage of light-regulated sodium channels in, 657
– photoreceptor membrane, ionizable groups and conductances, 329

S

Selectivity, cation and nonelectrolyte, for acetylcholine-activated channels in cultured muscle cells, 397
Shortening, isotonic, isometric force development and elasticity, measurements from Ca^{2+}-activated ventricular muscle of guinea pig, 431
Skate retina, isolated, visual pigment and photoreceptor sensitivity in, 369
Skin, split, of frog, binding of tritiated ouabain to, role of Na,K-ATPase in generation of short circuit current, 347
Sodium and calcium movements in red blood cells, 1
– channel inactivation, removal in squid giant axons by *N*-bromoacetamide, 227
– channels, light-regulated, in isolated rod outer segments, ionic blockage, 657
– efflux, Ca-activated, in *Myxicola* giant axons, influence of external cations and membrane potential, 453
– and potassium-activated adenosine triphosphatase, role in generation of short circuit current in binding of tritiated ouabain to split frog skin, 347
Spatial mechanisms and ganglion cell classes, eel retina, 139
Spectral mechanisms and receptor classes, eel retina, 123
Spindles, muscle, mammalian, ionic basis of receptor potential in primary endings, 683
Squid giant axons, removal of sodium channel inactivation in, by *N*-bromoacetamide, 227
Statocyst, chemosensory, and visual pathways, interaction in *Hermissenda crassicornis*, 177
Strontium- and Ca^{2+}-activated tension generation of skinned rat cardiac fibers, characterization of effects of Mg^{2+} on, 645
Sugar receptor, labellar, fleshfly, stimulating effect of fatty acids and amino acid derivatives on, 19
Surface, intestine luminal, determinants of weak electrolyte transport at, 301
Synaptic interaction, feedback in dragonfly ocellar retina, 157

T

Tension generation of skinned rat cardiac fibers, Ca^{2+}- and Sr^{2+}-activated, characterization of effects of Mg^{2+} on, 645
Tetanus, single isometric, frog sartorius muscle at 20°C, kinetics of oxygen consumption after, 559

V

Ventricular muscle, Ca^{2+}-activated, guinea pig, isometric force development, isotonic shortening, and elasticity measurements, 431
Visual, chemosensory, and statocyst pathways, interaction in *Hermissenda crassicornis*, 177
– pigment, two photointerconvertible states, microspectrophotometric evidence for, in barnacle lateral eye, 37